THE JOURNAL OF EXPERIMENTAL MEDICINE

Edited by

Anthony Cerami Zanvil A. Cohn Maclyn McCarty

Assistant Editors

Allan R. Goldberg Carl Nathan Ellen Pure Ralph Steinman

Advisory Editors

K. Frank Austen
Baruj Benacerraf
Constantin A. Bona
George Cross
John R. David
Frank J. Dixon
Bernard N. Fields
Shu Man Fu
Emil C. Gotschlich
Hidesaburo Hanafusa
Thomas J. Kindt
Seymour J. Klebanoff
Norman R. Klinman
Frank Lilly
Philippa Marrack
Lloyd F. Mayer
Hans J. Müller-Eberhard
E. A. McCulloch
Ralph L. Nachman
Robert J. North
Victor Nussenzweig
Michael B. A. Oldstone
William E. Paul
Russell Ross
Pablo Rubinstein
David H. Sachs
Matthew D. Scharff
Hans Schreiber
Benjamin D. Schwartz
Kendall A. Smith
Jonathan Sprent
Timothy A. Springer
Ching C. Wang
D. J. Weatherall
Zena Werb
Alan F. Williams
Darcy B. Wilson
Henry J. Winn



VOLUME 164

1986

PUBLISHED MONTHLY BY

THE ROCKEFELLER UNIVERSITY PRESS

COPYRIGHT © 1986 BY THE ROCKEFELLER UNIVERSITY PRESS

CONTENTS

Volume 164 No. 1 July 1, 1986

1 REGINA HAARS, MITCHELL KRONENBERG, W. MICHAEL GALLATIN, IRVING L. WEISSMAN, FRANCES L. OWEN, and LEROY HOOD. Rearrangement and expression of T cell antigen receptor and γ genes during thymic development

25 DENIS PORTNOÏ, ANTÓNIO FREITAS, DAN HOLMBERG, ANTÓNIO BANDIERA, and ANTÓNIO COUTINHO. Immunocompetent autoreactive B lymphocytes are activated cycling cells in normal mice

36 KENT T. HAYGLASS, BARUJ BENACERRAF, and MAN-SUN SY. T cell development in B cell–deficient mice. V. Stopping anti-μ treatment results in Igh-restricted expansion of the T suppressor cell repertoire concomitant with the development of normal immunoglobulin levels

50 JAMES G. WILSON, EDWARD E. MURPHY, WINNIE W. WONG, LLOYD B. KLICKSTEIN, JOHN H. WEIS, and DOUGLAS T. FEARON. Identification of a restriction fragment length polymorphism by a CR1 cDNA that correlates with the number of CR1 on erythrocytes

60 OSAMU TAGUCHI, TOSHITADA TAKAHASHI, MASAO SETO, REIKO NAMIKAWA, MUTSUSHI MATSUYAMA, and YASUAKI NISHIZUKA. Development of multiple organ–localized autoimmune diseases in nude mice after reconstitution of T cell function by rat fetal thymus graft

72 MONIQUE CAPRON, THIERRY JOUAULT, LIONEL PRIN, MICHEL JOSEPH, JEAN-CLAUDE AMEISEN, A. E. BUTTERWORTH, JEAN-PAUL PAPIN, JEAN-PIERRE KUSNIERZ, and ANDRÉ CAPRON. Functional study of a monoclonal antibody to IgE Fc receptor (FcϵR2) of eosinophils, platelets, and macrophages

90 YASUNOBU YOSHIKAI, NOBUHIRO KIMURA, BARRY TOYONAGA, and TAK W. MAK. Sequences and repertoire of human T cell receptor α chain variable region genes in mature T lymphocytes

104 B. M. THOMSON, J. SAKLATVALA, and T. J. CHAMBERS. Osteoblasts mediate interleukin 1 stimulation of bone resorption by rat osteoclasts

113 NICHOLAS R. J. GASCOIGNE, STANLEY WATERS, JOHN F. ELLIOTT, CAROL VICTOR-KOBRIN, CHRISTOPHER GOODNOW, MARK M. DAVIS, and CONSTANTIN A. BONA. Expression of T cell receptor genes in an antigen-specific hybridoma and radiation-induced variants

131 G. GROENEWEGEN, M. DE LEY, G. M. A. A. JEUNHOMME, and W. A. BUURMAN. Supernatants of human leukocytes contain mediator, different from interferon γ, that induces expression of MHC class II antigens

144 JOHN DING-E YOUNG, ECKHARD R. PODACK, and ZANVIL A. COHN. Properties of a purified pore-forming protein (perforin 1) isolated from H-2-restricted cytotoxic T cell granules

156 DAVID W. SCOTT, DANIELLA LIVNAT, CHRISTOPHER A. PENNELL, and PETER KENG. Lymphoma models for B cell activation and tolerance. III. Cell cycle dependence for negative signalling of WEHI-231 B lymphoma cells by anti-μ

165 ALAN A. ADEREM, DANIEL S. COHEN, SAMUEL D. WRIGHT, and ZANVIL A. COHN. Bacterial lipopolysaccharides prime macrophages for enhanced release of arachidonic acid metabolites

180 SANTU BANDYOPADHYAY, BICE PERUSSIA, GIORGIO TRINCHIERI, DEBORAH S. MILLER, and STUART E. STARR. Requirement for HLA-DR$^+$ accessory cells in natural killing of cytomegalovirus-infected fibroblasts

196 BARBARA G. FROSCHER and NORMAN R. KLINMAN. Immunization with SV40-transformed cells yields mainly MHC-restricted monoclonal antibodies

211 CURTIS A. HOLT, KEITH OSORIO, and FRANK LILLY. Friend virus–specific cytotoxic T lymphocytes recognize both *gag* and *env* gene–encoded specificities

227 Y. M. THANAVALA, S. E. BROWN, C. R. HOWARD, I. M. ROITT, and M. W. STEWARD. A surrogate hepatitis B virus antigenic epitope represented by a synthetic peptide and an internal image antiidiotype antibody

237 PATRICIA M. CAMERON, GUADALUPE A. LIMJUCO, JAYNE CHIN, LESLIE SILBERSTEIN, and JOHN A. SCHMIDT. Purification to homogeneity and amino acid sequence analysis of two anionic species of human interleukin 1

251 LINDA S. PARK, DELLA FRIEND, STEVEN GILLIS, and DAVID L. URDAL. Characterization of the cell surface receptor for human granulocyte/macrophage colony-stimulating factor

263 MARIANNE MURPHY, ROBERT LOUDON, MICHIKO KOBAYASHI, and GIORGIO TRINCHIERI. γ interferon and lymphotoxin, released by activated T cells, synergize to inhibit granulocyte/monocyte colony formation

280 THOMAS M. FOLKS, DOUGLAS POWELL, MARILYN LIGHTFOOTE, SCOTT KOENIG, ANTHONY S. FAUCI, STEVEN BENN, ARNOLD RABSON, DARYL DAUGHERTY, HOWARD E. GENDELMAN, M. DAVID HOGGAN, SUNDARARAJAN VENKATESAN, and MALCOLM A. MARTIN. Biological and biochemical characterization of a cloned Leu-3$^-$ cell surviving infection with the acquired immune deficiency syndrome retrovirus

291 SEIJI HABA, EDWARD M. ROSEN, KATHERYN MEEK, and ALFRED NISONOFF. Primary structure of IgE monoclonal antibodies expressing an intrastrain crossreactive idiotype

BRIEF DEFINITIVE REPORTS

303 PETER C. ISAKSON. Antiimmunoglobulin-treated B cells respond to a B cell differentiation factor for IgG1

309 JOHN R. KLEIN. Ontogeny of the Thy-1$^-$, Lyt-2$^+$ murine intestinal intraepithelial lymphocyte. Characterization of a unique population of thymus-independent cytotoxic effector cells in the intestinal mucosa

315 MICHAEL L. CLEARY, NAOMI GALILI, and JEFFREY SKLAR. Detection of a second t(14;18) breakpoint cluster region in human follicular lymphomas

321 ALEXANDER E. KUTA and LINDA L. BAUM. C-reactive protein is produced by a small number of normal human peripheral blood lymphocytes

327 SUSAN C. RIDGE, JOHN B. ZABRISKIE, HISAO OSAWA, TIBOR DIAMANTSTEIN, ARNOLD L. ORONSKY, and S. S. KERWAR. Administration of group A streptococcal cell walls to rats induces an interleukin 2 deficiency

333 MARK D. HOWELL, RALEIGH K. AUSTIN, DERMOT KELLEHER, GERALD T. NEPOM, and MARTIN F. KAGNOFF. An HLA-D region restriction fragment length polymorphism associated with celiac disease

339 LEWIS L. LANIER, JOYCE J. RUITENBERG, and JOSEPH H. PHILLIPS. Human CD3$^+$ T lymphocytes that express neither CD4 nor CD8 antigens

345 BARBARA S. NEPOM, JERRY PALMER, SE JONG KIM, JOHN A. HANSEN, SUSAN L. HOLBECK, and GERALD T. NEPOM. Specific genomic markers for the HLA-DQ subregion discriminate between DR4$^+$ insulin-dependent diabetes mellitus and DR4$^+$ seropositive juvenile rheumatoid arthritis

351 REINHOLD E. SCHMIDT, CHRISTINE MURRAY, JOHN F. DALEY, STUART F. SCHLOSSMAN, and JEROME RITZ. A subset of natural killer cells in peripheral blood displays a mature T cell phenotype

357 DANIELE PRIMI and PIERRE-ANDRÉ CAZENAVE. Lack of expression of the V_HS107 gene family in the lipopolysaccharide-sensitive B cell subset of X-linked immunodeficiency–defective mice

363 STEFAN H. E. KAUFMANN, ERIKA HUG, and GENNARO DE LIBERO. *Listeria monocytogenes*–reactive T lymphocyte clones with cytolytic activity against infected target cells

369 ROBERTO S. ACCOLLA, MARTINE JOTTERAND-BELLOMO, LEO SCARPELLINO, ANTONELLA MAFFEI, GIUSEPPE CARRA, and JOHN GUARDIOLA. *aIr-1*, a newly found locus on mouse chromosome 16 encoding a *trans*-acting activator factor for MHC class II gene expression

375 CHEN-LO H. CHEN, L. LANIER AGER, G. LARRY GARTLAND, and MAX D. COOPER. Identification of a T3/T cell receptor complex in chickens

Volume 164 No. 2 August 1, 1986

383 LLOYD MAYER. Terminal maturation of resting B cells by proliferation-independent B cell differentiation factors

393 KEN D. PISCHEL, HARRY G. BLUESTEIN, AND VIRGIL L. WOODS, JR. Very late activation antigens (VLA) are human leukocyte–neuronal crossreactive cell surface antigens

407 MARK J. SHLOMCHIK, DAVID A. NEMAZEE, VICKI L. SATO, JACQUES VAN SNICK, DENNIS A. CARSON, AND MARTIN G. WEIGERT. Variable region sequences of murine IgM anti-IgG monoclonal autoantibodies (rheumatoid factors). A structural explanation for the high frequency of IgM anti-IgG B cells

428 KOICHI IKUTA, MASAKAZU HATTORI, KENJIRO WAKE, SHOGO KANO, TASUKU HONJO, JUNJI YODOI, AND NAGAHIRO MINATO. Expression and rearrangement of the α, β, and γ chain genes of the T cell receptor in cloned murine large granular lymphocyte lines. No correlation with the cytotoxic spectrum

443 KEVIN L. HOLMES, JACALYN H. PIERCE, WENDY F. DAVIDSON, AND HERBERT C. MORSE III. Murine hematopoietic cells with pre-B or pre-B/myeloid characteristics are generated by in vitro transformation with retroviruses containing *fes, ras, abl,* and *src* oncogenes

458 YURI BUSHKIN, DAVID N. POSNETT, BENVENUTO PERNIS, AND CHANG YI WANG. A new HLA-linked T cell membrane molecule, related to the β chain of the clonotypic receptor, is associated with T3

474 SARAH B. CLARKSON, ROBERT P. KIMBERLY, JAY E. VALINSKY, MARGARET D. WITMER, JAMES B. BUSSEL, RALPH L. NACHMAN, AND JAY C. UNKELESS. Blockade of clearance of immune complexes by an anti-Fcγ receptor monoclonal antibody

490 DAVID W. KENNEDY, CARLO RUSSO, YOUNG T. KIM, AND MARC E. WEKSLER. T cell proliferation induced by anti-self-I-A-specific T cell hybridomas. Evidence of a T cell network

501 IWAO SUZUKI, KYOICHI KITAMURA, HIROSHI KIYONO, TOMOKO KURITA, DOUGLAS R. GREEN, AND JERRY R. MCGHEE. Isotype-specific immunoregulation. Evidence for a distinct subset of T contrasuppressor cells for IgA responses in murine Peyer's patches

517 EVELYN M. RABIN, JAMES J. MOND, JUNICHI OHARA, AND WILLIAM E. PAUL. B cell–stimulatory factor 1 (BSF-1) prepares resting B cells to enter S phase in response to anti-IgM and lipopolysaccharide

532 DAVID R. MILICH, ALAN MCLACHLAN, FRANCIS V. CHISARI, AND GEORGE B. THORNTON. Nonoverlapping T and B cell determinants on a hepatitis B surface antigen pre-S(2) region synthetic peptide

548 YUNG-WU CHEN, CHARLOTTE WORD, SHARON JONES, JONATHAN W. UHR, PHILIP W. TUCKER, AND ELLEN S. VITETTA. Double isotype production by a neoplastic B cell line. I. Cellular and biochemical characterization of a variant of BCL_1 that expresses and secretes both IgM and IgG1

562 YUNG-WU CHEN, CHARLOTTE WORD, VAITHILINGAM DEV, JONATHAN W. UHR, ELLEN S. VITETTA, AND PHILIP W. TUCKER. Double isotype production by a neoplastic B cell line. II. Allelically excluded production of μ and γ1 heavy chains without C_H gene rearrangement

580 RAFAEL FERNANDEZ-BOTRAN, PETER H. KRAMMER, T. DIAMANTSTEIN, JONATHAN W. UHR, AND ELLEN S. VITETTA. B cell–stimulatory factor 1 (BSF-1) promotes growth of helper T cell lines

594 DANA GIULIAN, TIMOTHY J. BAKER, LI-CHIN N. SHIH, AND LAWRENCE B. LACHMAN. Interleukin 1 of the central nervous system is produced by ameboid microglia

605 KAYO INABA, GEROLD SCHULER, MARGIT D. WITMER, JAY VALINSKY, BAHA ATASSI, AND RALPH M. STEINMAN. Immunologic properties of purified epidermal Langerhans cells. Distinct requirements for stimulation of unprimed and sensitized T lymphocytes

614 YAAKOV NAPARSTEK, JANINE ANDRÉ-SCHWARTZ, TIM MANSER, LAWRENCE J. WYSOCKI, LINDA BREITMAN, B. DAVID STOLLAR, MALCOLM GEFTER, AND ROBERT S. SCHWARTZ. A single germline V_H gene segment of normal A/J mice encodes autoantibodies characteristic of systemic lupus erythematosus

627 URSULA STORB, CARL PINKERT, BENJAMIN ARP, PETER ENGLER, KATHERINE GOLLAHON, JOANNA MANZ, WILLIAM BRADY, AND RALPH L. BRINSTER. Transgenic mice with μ and κ genes encoding antiphosphorylcholine antibodies

642 ELVIN A. KABAT, KATHERINE G. NICKERSON, JERRY LIAO, LIONEL GROSSBARD, ELLIOTT F. OSSERMAN, EVA GLICKMAN, LEONARD CHESS, JOHN B. ROBBINS, RACHEL SCHNEERSON, AND YONGHONG YANG. A human monoclonal macroglobulin with specificity for $\alpha(2 \rightarrow 8)$-linked poly-*N*-acetyl neuraminic acid, the capsular polysaccharide of group B meningococci and *Escherichia coli* K1, which crossreacts with polynucleotides and with denatured DNA

BRIEF DEFINITIVE REPORTS

655 MICHAEL F. GOOD, JAY A. BERZOFSKY, W. LEE MALOY, YOSHIO HAYASHI, NOBUTAKA FUJII, WAYNE T. HOCKMEYER, AND LOUIS H. MILLER. Genetic control of the immune response in mice to a *Plasmodium falciparum* sporozoite vaccine. Widespread nonresponsiveness to single malaria T epitope in highly repetitive vaccine

661 RAMZI S. COTRAN, MICHAEL A. GIMBRONE, JR., MICHAEL P. BEVILACQUA, DONNA L. MENDRICK, AND JORDON S. POBER. Induction and detection of a human endothelial activation antigen in vivo

667 G. M. GAMMON, A. OKI, N. SHASTRI, AND E. E. SERCARZ. Induction of tolerance to one determinant on a synthetic peptide does not affect the response to a second linked determinant. Implications for the mechanism of neonatal tolerance induction

673 CORRECTION

675 CORRECTION

Volume 164 No. 3 September 1, 1986

677 PATRICIA BALDACCI, CATHERINE TRANSY, MADELEINE COCHET, CLAUDE PENIT, ALAIN ISRAEL, and PHILIPPE KOURILSKY. *A trans*-acting mechanism represses the expression of the major transplantation antigens in mouse hybrid thymoma cell lines

695 WARWICK J. BRITTON, LINUS HELLQVIST, ANTONY BASTEN, and ADAM S. INGLIS. Immunoreactivity of a 70 kD protein purified from *Mycobacterium bovis* Bacillus Calmette-Guerin by monoclonal antibody affinity chromatography

709 THOMAS R. MALEK, GUSTAVO ORTEGA, CHRISTINA CHAN, RICHARD A. KROCZEK, and ETHAN M. SHEVACH. Role of Ly-6 in lymphocyte activation. II. Induction of T cell activation by monoclonal anti-Ly-6 antibodies

723 W. MARTIN KAST, ANTON M. BRONKHORST, LEO P. DE WAAL, and CORNELIS J. M. MELIEF. Cooperation between cytotoxic and helper T lymphocytes in protection against lethal Sendai virus infection

739 NOBUHIRO KIMURA, BARRY TOYONAGA, YASUNOBU YOSHIKAI, FREDERIC TRIEBEL, PATRICE DEBRE, MARK D. MINDEN, and TAK W. MAK. Sequences and diversity of human T cell receptor β chain variable region genes

751 L. J. SMITH, E. A. MCCULLOCH, and S. BENCHIMOL. Expression of the *p53* oncongene in acute myeloblastic leukemia

762 HOWARD M. FILLIT, MACLYN MCCARTY, and MILAN BLAKE. Induction of antibodies to hyaluronic acid by immunization of rabbits with encapsulated streptococci

777 PETER S. TOBIAS, KATRIN SOLDAU, and RICHARD J. ULEVITCH. Isolation of a lipopolysaccharide-binding acute phase reactant from rabbit serum

794 RICHARD LINSK, JULE VOGEL, HANS STAUSS, JAMES FORMAN, and ROBERT S. GOODENOW. Structure and function of three novel MHC class I antigens derived from a C3H ultraviolet-induced fibrosarcoma

814 JOSEPH H. PHILLIPS and LEWIS L. LANIER. Dissection of the lymphokine-activated killer phenomenon. Relative contribution of peripheral blood natural killer cells and T lymphocytes to cytolysis

826 JEANNE M. HEIPLE and LILIANA OSSOWSKI. Human neutrophil plasminogen activator is localized in specific granules and is translocated to the cell surface by exocytosis

841 PETER E. JENSEN and JUDITH A. KAPP. Bystander help in primary immune responses in vivo

855 STEVEN D. MARLIN, CYNTHIA C. MORTON, DONALD C. ANDERSON, and TIMOTHY A. SPRINGER. LFA-1 immunodeficiency disease. Definition of the genetic defect and chromosomal mapping of α and β subunits of the lymphocyte function–associated antigen 1 (LFA-1) by complementation in hybrid cells

868 EMIL C. GOTSCHLICH, MILAN S. BLAKE, J. MICHAEL KOOMEY, MICHAEL SEIFF, and ALAN DERMAN. Cloning of the structural genes of three H8 antigens and of protein III of *Neisseria gonorrhoeae*

882 NILABH SHASTRI, GUY GAMMON, ALEXANDER MILLER, and ELI E. SERCARZ. Ia molecule–associated selectivity in T cell recognition of a 23-amino-acid peptide of lysozyme

897 ALISON FINNEGAN, MELANIE A. SMITH, JOHN A. SMITH, JAY BERZOFSKY, DAVID H. SACHS, and RICHARD J. HODES. The T cell repertoire for recognition of a phylogenetically distant protein antigen. Peptide specificity and MHC restriction of staphylococcal nuclease–specific T cell clones

911 JORG GORONZY, CORNELIA M. WEYAND, and C. GARRISON FATHMAN. Long-term humoral unresponsiveness in vivo, induced by treatment with monoclonal antibody against L3T4

BRIEF DEFINITIVE REPORTS

926 MASAYA KIYOTAKI, RONALD C. DESROSIERS, and NORMAN L. LETVIN. *Herpesvirus saimiri* strain 11 immortalizes a restricted marmoset T8 lymphocyte subpopulation in vitro

932 ANDREW F. GECZY, LOUIS E. MCGUIGAN, JOHN S. SULLIVAN, and JOHN P. EDMONDS. Cytotoxic T lymphocytes against disease-associated determinant(s) in ankylosing spondylitis

938 GEZIENA M. TH. SCHREUDER, MARCEL G. J. TILANUS, RONALD E. BONTROP, G. J. BRUINING, MARIUS J. GIPHART, JON J. VAN ROOD, and RENÉ R. P. DE VRIES. HLA-DQ polymorphism associated with resistance to type I diabetes detected with monoclonal antibodies, isoelectric point differences, and restriction fragment length polymorphism

944 E. CHARLES SNOW, J. D. FETHERSTON, and STEPHEN ZIMMER. Induction of the c-*myc* protooncogene after antigen binding to hapten-specific B cells

950 NAHID MOHAGHEGHPOUR, NITIN K. DAMLE, SHINSUKE TAKADA, and EDGAR G. ENGLEMAN. Generation of antigen receptor–specific suppressor T cell clones in man

956 A. BARTOCCI, J. W. POLLARD, and E. R. STANLEY. Regulation of colony-stimulating factor 1 during pregnancy

962 MARIE-FRANÇOISE LUCIANI, JEAN-FRANÇOIS BRUNET, MARIE SUZAN, FRANÇOIS DENIZOT, and PIERRE GOLSTEIN. Self-sparing of long-term in vitro–cloned or uncloned cytotoxic T lymphocytes

Volume 164 No. 4 October 1, 1986

971 VINCENT A. FISCHETTI, MARY JARYMOWYCZ, KEVEN F. JONES, and JUNE R. SCOTT. Streptococcal M protein size mutants occur at high frequency within a single strain

981 STEPHEN I. ROSENFELD, DAVID E. JENKINS, JR., and JOHN P. LEDDY. Enhanced reactive lysis of paroxysmal nocturnal hemoglobinuria erythrocytes. Studies on C9 binding and incorporation into high molecular weight complexes

998 MADELINE W. CUNNINGHAM and ROBERT A. SWERLICK. Polyspecificity of antistreptococcal murine monoclonal antibodies and their implications in autoimmunity

1013 ALICE B. GOTTLIEB, BEN LIFSHITZ, SHU MAN FU, LISA STAIANO-COICO, CHANG YI WANG, and D. MARTIN CARTER. Expression of HLA-DR molecules by keratinocytes, and presence of Langerhans cells in the dermal infiltrate of active psoriatic plaques

1029 WESTLEY H. REEVES and NICHOLAS CHIORAZZI. Interactions between anti-DNA and anti–DNA-binding protein autoantibodies in cryoglobulins from sera of patients with systemic lupus erythematosus

1043 CAROL L. WILLIAMS and VANDA A. LENNON. Thymic B lymphocyte clones from patients with myasthenia gravis secrete monoclonal striational autoantibodies reacting with myosin, α actinin, or actin

1060 JOHN W. LOWENTHAL and H. ROBSON MACDONALD. Binding and internalization of interleukin 1 by T cells. Direct evidence for high- and low-affinity classes of interleukin 1 receptor

1075 ROLF M. ZINKERNAGEL, EDI HAENSELER, THOMAS LEIST, ANDREAS CERNY, HANS HENGARTNER, and ALANA ALTHAGE. T cell–mediated hepatitis in mice infected with lymphocytic choriomeningitis virus. Liver cell destruction by H-2 class I–restricted virus-specific cytotoxic T cells as a physiological correlate of the ^{51}Cr-release assay?

1093 RAZELLE KURZROCK, MICHAEL F. ROHDE, JORGE R. QUESADA, SANDRA H. GIANTURCO, WILLIAM A. BRADLEY, STEPHEN A. SHERWIN, and JORDAN U. GUTTERMAN. Recombinant γ interferon induces hypertriglyceridemia and inhibits post-heparin lipase activity in cancer patients

1102 SACHIKO KAJIGAYA, TOSHIO SUDA, JUNKO SUDA, MASAKI SAITO, YASUSADA MIURA, MASAHIKO IIZUKA, SHIGEYASU KOBAYASHI, NAGAHIRO MINATO, and TETSUO SUDO. A recombinant murine granulocyte/macrophage (GM) colony-stimulating factor derived from an inducer T cell line (IH5.5). Functional restriction to GM progenitor cells

1114 PEGGY A. SCHERLE and WALTER GERHARD. Functional analysis of influenza-specific helper T cell clones in vivo. T cells specific for internal viral proteins provide cognate help for B cell responses to the hemagglutinin

1129 DALE L. GREINER, IRVING GOLDSCHNEIDER, KRISTIN L. KOMSCHLIES, EUGENE S. MEDLOCK, FREDERICK J. BOLLUM, and LEONARD SCHULTZ. Defective lymphopoiesis in bone marrow of motheaten (*me/me*) and viable motheaten (me^v/me^v) mutant mice. I. Analysis of development of prothymocytes, early B lineage cells, and terminal deoxynucleotidyl transferase–positive cells

1145 A. A. LIKE, C. A. BIRON, E. J. WERINGER, K. BYMAN, E. SROCZYNSKI, and D. L. GUBERSKI. Prevention of diabetes in Biobreeding/Worcester rats with monoclonal antibodies that recognize T lymphocytes or natural killer cells

1160 KENNETH M. PETERSON, JOEL B. BASEMAN, and JOHN F. ALDERETE. Isolation of a *Treponema pallidum* gene encoding immunodominant outer envelope protein P6, which reacts with sera from patients at different stages of syphilis

1171 ROBERT J. HARIRI, DANIEL R. ALONSO, DAVID P. HAJJAR, DONNA COLETTI, and MARC E. WEKSLER. Aging and arteriosclerosis. I. Development of myointimal hyperplasia after endothelial injury

1179 ANTONIO DIGIACOMO and ROBERT J. NORTH. T cell suppressors of antitumor immunity. The production of $Ly\text{-}1^-,2^+$ suppressors of delayed sensitivity precedes the production of suppressors of protective immunity

1193 J. R. ORTALDO, A. MASON, and R. OVERTON. Lymphokine-activated killer cells. Analysis of progenitors and effectors

1206 GIORGIO TRINCHIERI, MICHIKO KOBAYASHI, MARK ROSEN, ROBERT LOUDEN, MARIANNE MURPHY, and BICE PERUSSIA. Tumor necrosis factor and lymphotoxin induce differentiation of human myeloid cell lines in synergy with immune interferon

1226 KEVIN F. JONES, SHABBIR A. KHAN, BRUCE W. ERICKSON, SUSAN K. HOLLINGSHEAD, JUNE R. SCOTT, and VINCENT A. FISCHETTI. Immunochemical localization and amino acid sequences of crossreactive epitopes within the group A streptococcal M6 protein

1239 R. D. CLARKE FORBES, NOLLAIG A. PARFREY, MARGARET GOMERSALL, ALIX G. DARDEN, and RONALD D. GUTTMANN. Dendritic cell–lymphoid cell aggregation and major histocompatibility antigen expression during rat cardiac allograft rejection

1259 CHENG-MING LIU, TAKESHI OKAYASU, PATRICIA GOLDMAN, YASUHIRO SUZUKI, KAZUFUMI SUZUKI, and E. FREDERICK WHEELOCK. Immune regulation of the L5178Y murine tumor-dormant state. I. In vivo and in vitro effects of prostaglandin E_2 and indomethacin on tumor cell growth

1274 SANTIAGO RODRIGUEZ DE CORDOBA and PABLO RUBENSTEIN. Quantitative variations of the C3b/C4b receptor (CR1) in human erythrocytes are controlled by genes within the regulator of complement activation (RCA) gene cluster

1284 SUZANNE E. ARANT, JOHANNA A. GRIFFIN, and WILLIAM J. KOOPMAN. V_H gene expression is restricted in anti-IgG antibodies from MRL autoimmune mice

1301 HELEN VLASSARA, MICHAEL BROWNLEE, and ANTHONY CERAMI. Novel macrophage receptor for glucose-modified proteins is distinct from previously described scavenger receptors

1310 DONARD S. DWYER, MEENAL VAKIL, and JOHN F. KEARNEY. Idiotypic network connectivity and a possible cause of myasthenia gravis

1319 SHOHKO TSUNAWAKI and CARL F. NATHAN. Macrophage deactivation. Altered kinetic properties of superoxide-producing enzyme after exposure to tumor cell–conditioned medium

BRIEF DEFINITIVE REPORTS

1332 ANNE O. WOZENCRAFT, GILLIAN SAYERS, and JENEFER M. BLACKWELL. Macrophage type 3 complement receptors mediate serum-independent binding of *Leishmania donovani*. Detection of macrophage-derived complement on the parasite surface by immunoelectron microscopy

1338 FRIEDERICH KOCH, HEINZ-GÜNTER THIELE, and MARTIN G. LOW. Release of the rat T cell alloantigen RT-6.2 from cell membranes by phosphatidylinositol-specific phospholipase C

1344 THOMAS DYRBERG and MICHAEL B. A. OLDSTONE. Peptides as antigens. Importance of orientation

1350 BERISH Y. RUBIN, SYLVIA L. ANDERSON, SUSAN A. SULLIVAN, BARBARA D. WILLIAMSON, ELIZABETH A. CARSWELL, and LLOYD J. OLD. Nonhematopoietic cells selected for resistance to tumor necrosis factor produce tumor necrosis factor

1356 GEORGE F. TIDMARSH, MORRIS O. DAILEY, and IRVING L. WEISSMAN. Expression of a monoclonal antibody–defined, B-lineage transformation antigen specifically identifies Abelson-diseased animals. Genetically determined resistance to Abelson murine leukemia virus acts before induction of $gp160^{6C3}$

1362 STEPHEN R. BEHR and FREDRIC B. KRAEMER. Effects of activation of lipoprotein lipase secretion by macrophages. Evidence for autoregulation

1368 KEVIN J. TRACEY, STEPHEN F. LOWRY, BRUCE BEUTLER, ANTHONY CERAMI, JAMES D. ALBERT, and G. TOM SHIRES. Cachectin/tumor necrosis factor mediates changes of skeletal muscle plasma membrane potential

Volume 164 No. 5 November 1, 1986

1377 TAROH KINOSHITA, M. EDWARD MEDOF, KYONGSU HONG, and VICTOR NUSSENZWEIG. Membrane-bound C4b interacts endogenously with complement receptor CR1 of human red cells

1389 CLAUS R. BARTRAM, JOHANNES W. G. JANSSEN, REINHARD BECHER, ANNELIES DE KLEIN, and GERARD GROSVELD. Persistence of chronic myelocytic leukemia despite deletion of rearranged *bcr/c-abl* sequences in blast crisis

1397 ANDREW J. MCMICHAEL, FRANCES M. GOTCH, and JONATHAN ROTHBARD. HLA B37 determines an influenza A virus nucleoprotein epitope recognized by cytotoxic T lymphocytes

1407 JOELLE E. GABAY, JEANNE M. HEIPLE, ZANVIL A. COHN, and CARL F. NATHAN. Subcellular location and properties of bactericidal factors from human neutrophils

1422 KAREN S. GIACOLETTO, ANDREA J. SANT, CHRIS BONO, JOHN GORKA, DEIRDRE M. O'SULLIVAN, VITO QUARANTA, and BENJAMIN D. SCHWARTZ. The human invariant chain is the core protein of the human class II–associated proteoglycan

1440 KEMP B. CEASE, GAIL BUCKENMEYER, IRA BERKOWER, JENA YORK-JOLLEY, and JAY A. BERZOFSKY. Immunologically relevant peptide antigen exists on the presenting cell in a manner accessible to macromolecules in solution

1455 HITOSHI KIKUTANI, MASAKI SUEMURA, HAJIME OWAKI, HIROSHIGE NAKAMURA, RYOICHI SATO, KATSUHIKO YAMASAKI, EDWARD L. BARSUMIAN, RICHARD R. HARDY, and TADAMITSU KISHIMOTO. Fcε receptor, a specific differentiation marker transiently expressed on mature B cells before isotype switching

1470 DARIUSZ LESZCZYNSKI, BERNADETTE FERRY, HUUB SCHELLEKENS, PETER H. V. D. MEIDE, and PEKKA HÄYRY. Antagonistic effects of γ interferon and steroids on tissue antigenicity

1478 JIM MILLER and RONALD N. GERMAIN. Efficient cell surface expression of class II MHC molecules in the absence of associated invariant chain

1490 RAFICK P. SEKALY, CECILE TONNELLE, MICHEL STRUBIN, BERNARD MACH, and ERIC O. LONG. Cell surface expression of class II histocompatibility antigens occurs in the absence of the invariant chain

1505 MONA KHATER, JOHN MACAI, CAROL GENYEA, and JOSEPH KAPLAN. Natural killer cell regulation of age-related and type-specific variations in antibody responses to pneumococcal polysaccharides

1516 HANS J. STAUSS, CARTER VAN WAES, MARY ANN FINK, BARBARA STARR, and HANS SCHREIBER. Identification of a unique tumor antigen as rejection antigen by molecular cloning and gene transfer

1531 WINNIE W. WONG, CHRISTINE A. KENNEDY, ERMELINDA T. BONACCIO, JAMES G. WILSON, LLOYD B. KLICKSTEIN, JOHN H. WEIS, and DOUGLAS T. FEARON. Analysis of multiple restriction fragment length polymorphisms of the gene for the human complement receptor type I. Duplication of genomic sequences occurs in association with a high molecular weight receptor allotype

1547 CARTER VAN WAES, JAMES L. URBAN, JAY L. ROTHSTEIN, PATRICIA L. WARD, and HANS SCHREIBER. Highly malignant tumor variants retain tumor-specific antigens recognized by T helper cells

1566 WILLIAM L. CARROLL, JAMES N. LOWDER, ROBERTA STREIFER, ROGER WARNKE, SHOSHANA LEVY, and RONALD LEVY. Idiotype variant cell populations in patients with B cell lymphoma

1581 WOLFGANG J. RETTIG, V. V. V. S. MURTY, M. JULES MATTES, R. S. K. CHAGANTI, and LLOYD J. OLD. Extracellular matrix–modulated expression of human cell surface glycoproteins A42 and J143. Intrinsic and extrinsic signals determine antigenic phenotype

1600 GERALD SIU, ERICH C. STRAUSS, ERIC LAI, and LEROY E. HOOD. Analysis of a human V_β gene subfamily

1615 RACHEL SOROKIN, HIROMITSU KIMURA, KIM SCHRODER, DIANNE H. WILSON, and DARCY B. WILSON. Cyclosporine-induced autoimmunity. Conditions for expressing the disease, requirement for intact thymus, and potency estimates of autoimmune lymphocytes in drug-treated rats

1626 JAMAL KHALIFE, MONIQUE CAPRON, ANDRÉ CAPRON, JEAN-MARIE GRZYCH, ANTHONY E. BUTTERWORTH, DAVID W. DUNNE, and JOHN H. OUMA. Immunity in human schistosomiasis mansoni. Regulation of protective immune mechanisms by IgM blocking antibodies

1641 JUNE R. SCOTT, PATRICIA C. GUENTHNER, LYNN M. MALONE, and VINCENT A. FISCHETTI. Conversion of an M^- group A streptococcus to M^+ by transfer of a plasmid containing an M6 gene

1652 ROBERT J. NORTH. Radiation-induced, immunologically mediated regression of an established tumor as an example of successful therapeutic immunomanipulation. Preferential elimination of suppressor T cells allows sustained production of effector T cells

1667 KIM W. MCINTYRE and RAYMOND M. WELSH. Accumulation of natural killer and cytotoxic T large granular lymphocytes in the liver during virus infection

1682 RYUJI SUZUKI, SATASUKI SUZUKI, TETSU TAKAHASHI, and KATSUO KUMAGAI. Production of a cytokine with interleukin 3–like properties and cytokine-dependent proliferation in human autologous mixed lymphocyte reaction

1700 GEORGE G. WRIGHT and GERALD L. MANDELL. Anthrax toxin blocks priming of neutrophils by lipopolysaccharide and by muramyl dipeptide

1710 ANTHONY P. ALBINO, ALAN N. HOUGHTON, MAGDELENA EISINGER, JANET S. LEE, RAPHE R. S. KANTOR, ALLEN I. OLIFF, and LLOYD J. OLD. Class II histocompatibility antigen expression in human melanocytes transformed by Harvey murine sarcoma virus (Ha-MSV) and Kirsten MSV retroviruses

1723 DAVID B. DURAND, MALEK KAMOUN, CAROL A. NORRIS, NIKKI J. HOLBROOK, JUDITH S. GREENGARD, GERALD R. CRABTREE, and JEFFREY A. KANT. Retroviral activation of interleukin 2 gene in a gibbon ape T cell lymphoma line

1735 PETER A. RICE, HAROLD E. VAYO, MILTON R. TAM, and MILAN S. BLAKE. Immunoglobulin G antibodies directed against protein III block killing of serum-resistant *Neisseria gonorrhoeae* by immune serum

1749 E. J. LYTTON and MILAN S. BLAKE. Isolation and partial characterization of the reduction-modifiable protein of *Neisseria gonorrhoeae*

1760 MARY K. CROW, JUAN A. JOVER, and STEVEN M. FRIEDMAN. Direct T helper–B cell interactions induce an early B cell activation antigen

BRIEF DEFINITIVE REPORTS

1773 STEVEN M. FRIEDMAN, JUAN A. JOVER, ELLIOT K. CHARTASH, and MARY K. CROW. Antigen-specific, MHC-nonrestricted T helper cell–induced B cell activation

1779 KEMP B. CEASE, IRA BERKOWER, JENA YORK-JOLLEY, and JAY A. BERZOFSKY. T cell clones specific for an amphipathic α-helical region of sperm whale myoglobin show differing fine specificities for synthetic peptides. A multiview/single structure interpretation of immunodominance

1785 JAMES B. DALE and EDWIN H. BEACHEY. Sequence of myosin-crossreactive epitopes of streptococcal M protein

1791 BRUCE BEUTLER, VERONICA TKACENCKO, IAN MILSARK, NADIA KROCHIN, and ANTHONY CERAMI. Effect of γ interferon on cachectin expression by mononuclear phagocytes. Reversal of the *lps*^{d} (endotoxin resistance) phenotype

1797 ROBERT J. LAUZON, KATHERINE A. SIMINOVITCH, GABRIELLE M. FULOP, ROBERT A. PHILLIPS, and JOHN C. RODER. An expanded population of natural killer cells in mice with severe combined immunodeficiency (SCID) lack rearrangement and expression of T cell receptor genes

1803 MICHAEL J. LYONS, ROBERTO AMADOR, CAROL PETITO, KAZUO NAGASHIMA, HERMAN WEINREB, and JOHN B. ZABRISKIE. Inhibition of acute experimental allergic encephalomyelitis in mice by colchicine

1809 VINCENT AGNELLO and J. L. BARNES. Human rheumatoid factor crossidiotypes. I. WA and BLA are heat-labile conformational antigens requiring both heavy and light chains

1815 DARIO C. ALTIERI and PIER MANNUCCIO MANNUCCI. Thromboxane generation by human monocytes enhances platelet function

Volume 164 No. 6 December 1, 1986

1823 JORGEN SCHØLLER, RICHARD SHIMONKEVITZ, H. ROBSON MACDONALD, and SUNE KVIST. Different structural constraints for recognition of mouse H-2K^d and –K^k antigens by alloimmune cytolytic T lymphocytes

1835 ALEJANDRO ALAGON, LOURIVAL D. POSSANI, JOHN SMART, and WOLF-DIETER SCHLEUNING. Helodermatine, a kallikrein-like, hypotensive enzyme from the venom of *Heloderma horridum horridum* (Mexican beaded lizard)

1846 DAVID MCKINNON and RHODRI CEREDIG. Changes in the expression of potassium channels during mouse T cell development

1862 PAUL R. CROCKER and SIAMON GORDON. Properties and distribution of a lectin-like hemagglutinin differentially expressed by murine stromal tissue macrophages

1876 SAMUEL D. WRIGHT and MICHELLE T. C. JONG. Adhesion-promoting receptors on human macrophages recognize *Escherichia coli* by binding to lipopolysaccharide

1889 MARK J. MAMULA, OWEN F. FOX, HAJIME YAMAGATA, and JOHN B. HARLEY. The Ro/SSA autoantigen as an immunogen. Some anti-Ro/SSA antibody binds IgG

1902 MARIE P. MCGEE and HENRY ROTHBERGER. Assembly of the prothrombin activator complex on rabbit alveolar macrophage high-affinity factor Xa receptors. A kinetic study

1915 STEPHEN B. ALEY, MICHELLE D. BATES, JAMES P. TAM, and MICHAEL R. HOLLINGDALE. Synthetic peptides from the circumsporozoite proteins of *Plasmodium falciparum* and *Plasmodium knowlesi* recognize the human hepatoma cell line HepG2-A16 in vitro

1923 TOM H. M. OTTENHOFF, SASKIA NEUTEBOOM, DIËNNE G. ELFERINK, and RENÉ R. P. DE VRIES. Molecular localization and polymorphism of HLA class II restriction determinants defined by *Mycobacterium leprae*–reactive helper T cell clones from leprosy patients

1940 ANDREW F. CALMAN and B. MATIJA PETERLIN. Expression of T cell receptor genes in human B cells

1958 DONALD Y. M. LEUNG, RAIF S. GEHA, JANE W. NEWBURGER, JANE C. BURNS, WALTER FIERS, LYNNE A. LAPIERRE, and JORDAN S. POBER. Two monokines, interleukin 1 and tumor necrosis factor, render cultured vascular endothelial cells susceptible to lysis by antibodies circulating during Kawasaki syndrome

1973 MAHITO NAKAZAWA, STEVEN N. EMANCIPATOR, and MICHAEL E. LAMM. Proteolytic enzyme treatment reduces glomerular immune deposits and proteinuria in passive Heymann nephritis

1988 TOSHIRO HARA, LAWRENCE K. L. JUNG, JAY M. BJORNDAHL, and SHU MAN FU. Human T cell activation. III. Rapid induction of a phosphorylated 28 kD/32 kD disulfide-linked early activation antigen (EA 1) by 12-*o*-tetradecanoyl phorbol-13-acetate, mitogens, and antigens

2006 R. L. MEEK and E. P. BENDITT. Amyloid A gene family expression in different mouse tissues

2018 SEIJI HABA, MICHAEL F. GURISH, and ALFRED NISONOFF. Inhibition of an IgE response by secondary B cells of a different isotype

2031 HIROMITSU KIMURA, LISE DESQUENNE-CLARK, MEGUMU MIYAMOTO, and WILLYS K. SILVERS. Major histocompatibility complex (MHC) restriction of foreign transplantation antigens in rats rendered tolerant at birth

2038 WOLFGANG STRITTMATTER and PENNY J. HITCHCOCK. Isolation and preliminary biochemical characterization of the gonococcal H.8 antigen

2049 PIER-GIUSEPPE PELICCI, DANIEL M. KNOWLES, II, ZALMEN A. ARLIN, ROSEMARY WIECZOREK, PAUL LUCIW, DINO DINA, CLAUDIO BASILICO, and RICCARDO DALLA-FAVERA. Multiple monoclonal B cell expansions and c-*myc* oncogene rearrangements in acquired immune deficiency syndrome–related lymphoproliferative disorders. Implications for lymphomagenesis

2061 CHAU-CHING LIU, BICE PERUSSIA, ZANVIL A. COHN, and JOHN DING-E YOUNG. Identification and characterization of a pore-forming protein of human peripheral blood natural killer cells

BRIEF DEFINITIVE REPORTS

2077 JOHN DING-E YOUNG, CHAU-CHING LIU, LAUREN G. LEONG, and ZANVIL A. COHN. The pore-forming protein (perforin) of cytolytic T lymphocytes is immunologically related to the components of membrane attack complex of through cysteine-rich domains

2083 EVELYNE JOUVIN-MARCHE, MARY HELLER, and STUART RUDIKOFF. Gene correction in the evolution of the T cell receptor β chain

2089 THOMAS P. LOUGHRAN, JR., and WILLIAM P. HAMMOND, IV. Adult-onset cyclic neutropenia is a benign neoplasma associated with clonal proliferation of large granular lymphocytes

2095 THOMAS S. KUPPER, DEAN W. BALLARD, ANN O. CHUA, JOSEPH S. MCGUIRE, PATRICK M. FLOOD, MARK C. HOROWITZ, ROBERT LANGDON, LUANN LIGHTFOOT, and UELI GUBLER. Human keratinocytes contain mRNA indistinguishable from monocyte interleukin 1α and β mRNA. Keratinocyte epidermal cell–derived thymocyte-activating factor is identical to interleukin 1

2101 JEFFREY LIFSON, STEVEN COUTRÉ, EMINA HUANG, and EDGAR ENGLEMAN. Role of envelope glycoprotein carbohydrate in human immunodeficiency virus (HIV) infectivity and virus-induced cell fusion

2107 DANIELE PRIMI, ELIANE BARBIER, ANNE-MARIE DRAPIER, and PIERRE-ANDRÉ CAZENAVE. Paucity of phosphorylcholine-specific clones in B cells expressing the V_HT15 gene product

2113 MARTINE A. COLLART, DOMINIQUE BELIN, JEAN-DOMINIQUE VASSALLI, SYLVIE DE KOSSODO, and PIERRE VASSALLI. γ interferon enhances macrophage transcription of the tumor necrosis factor/cachectin, interleukin 1, and urokinase genes, which are controlled by short-lived repressors

2119 VICTOR RADOUX, POJEN P. CHEN, JOSEPH J. SORGE, and DENNIS A. CARSON. A conserved human germline V_κ gene directly encodes rheumatoid factor light chains

2125 LUZ SISON-FONACIER and JEAN-CLAUDE BYSTRYN. Regional variations in antigenic properties of skin. A possible cause for disease-specific distribution of skin lesions

2131 CORRECTION

2133 AUTHOR INDEX TO VOLUME 164